


Heritage Industrial Products Corp.
 W4278 Jean Street
 Appleton, WI 54913
 800-236-2119 (Voice)
 920-733-7461 (Fax)
 heritageindustrial@sbcglobal.net
 www.heritageindustrial.net



HOLESHOT TAPS - TITANIUM NITRIDE COATED

Super Premium - Special Hi-Tungsten and Hi-Molybdenum tool steels, gold surface treated for maximum lubricity. Spiral point construction drives chips ahead of the tap, permitting higher speeds and faster cutting with less torque. Precision ground threads for the ultimate in accuracy and performance. Recommended for stainless and other hard metals. Plug style spiral pointed taps are ideal for production tapping of through holes.

Titanium Nitride - A super thin coat of electronically bonded titanium nitride makes the surface of the tool incredibly hard and provides a highly lubricious finish. Expect an easier running tap that will last up to ten times longer and provides a cleaner, more accurate cut.



SIZE	STRAIGHT FLUTE			SPIRAL POINT - GUN			REDUCED NECK - GUN		
	FLT	PART NUMBER	PRICE EACH	FLT	PART NUMBER	PRICE EACH	NO. OF FLUTES	PART NUMBER	PRICE EACH
#4-40	3	T41-T04C	\$ 23.61	2	T45-T04C	\$ 23.70	2	T46-T04C	\$ 25.18
#6-32	3	T41-T06C	17.39	2	T45-T06C	18.72	2	T46-T06C	24.45
#6-40	3	T41-T06F	22.61	2	T45-T06F	21.38	2	T46-T06F	24.45
#8-32	4	T41-T08C	21.19	2	T45-T08C	19.05	3	T46-T08C	19.34
#8-36	4	T41-T08F	24.80	2	T45-T08F	21.76	3	T46-T08F	19.34
#10-24	4	T41-T10C	21.14	2	T45-T10C	20.62	3	T46-T10C	24.45
#10-32	4	T41-T10F	21.14	2	T45-T10F	20.62	3	T46-T10F	24.45
#12-24	4	T41-T12C	25.79	2	T45-T12C	22.80	3	T46-T12C	26.33
#12-28	4	T41-T12F	21.38	2	T45-T12F	22.80	3	T46-T12F	26.37
1/4-20	4	T41-T16C	21.61	2	T45-T16C	22.90	3	T46-T16C	27.98
1/4-28	4	T41-T16F	21.61	2	T45-T16F	22.90	3	T46-T16F	27.98
5/16-18	4	T41-T20C	30.26	2	T45-T20C	24.46	3	T46-T20C	31.58
5/16-24	4	T41-T20F	30.26	2	T45-T20F	24.46	3	T46-T20F	31.58
3/8-16	4	T41-T24C	32.44	3	T45-T24C	28.79	3	T46-T24C	36.82
3/8-24	4	T41-T24F	32.44	3	T45-T24F	28.79	3	T46-T24F	36.82
7/16-14	4	T41-T28C	41.18	3	T45-T28C	43.65	3	T46-T28C	44.24
7/16-20	4	T41-T28F	41.18	3	T45-T28F	43.65	3	T46-T28F	43.93
1/2-13	4	T41-T32C	39.87	3	T45-T32C	45.09	3	T46-T32C	44.94
1/2-20	4	T41-T32F	47.13	3	T45-T32F	45.09	3	T46-T32F	46.55
9/16-12	4	T41-T36C	64.18				3	T46-T36C	76.23
9/16-18	4	T41-T36F	71.73				3	T46-T36F	76.23
5/8-11	4	T41-T40C	81.65	3	T45-T40C	90.65	3	T46-T40C	98.25
5/8-18	4	T41-T40F	81.65	3	T45-T40F	90.65	3	T46-T40F	98.25
3/4-10	4	T41-T48C	108.06	3	T45-T48C	124.36	3	T46-T48C	130.90
3/4-16	4	T41-T48F	108.06	3	T45-T48F	132.39	3	T46-T48F	138.39

Warranty: All Heritage products are guaranteed to be free from defects. Our obligation to the user shall be to replace any items proven to be defective. User assumes responsibility for selecting the appropriate product for use and for complying with safety regulations set by OSHA and ANSI safety code B7.1, and assumes all other risks

HoleShot TiN Taps - Plug Style

Heritage Industrial Products Corp.
 W4278 Jean Street
 Appleton, WI 54913
 800-236-2119 (Voice)
 920-733-7461 (Fax)
 heritageindustrial@sbcglobal.net
 www.heritageindustrial.net



HOLESHOT FAB/TAPS - TiN COATED

FabTaps are specifically designed to be used in a three-jaw chuck. Three flats on the shank insure that the tap will not slip when used in battery powered or electric drill motors.

HoleShot FabTaps are made with special Hi-Tungsten and Hi-Molybdenum tool steel. These premium taps are precision ground for the ultimate in accuracy and performance. HoleShot FabTaps are gold surface treated for maximum lubricity which provides an easy running, clean and accurate cut.



SIZE	STRAIGHT FLUTE			SPIRAL POINT - GUN			REDUCED NECK - GUN		
	FLT	PART NUMBER	PRICE EACH	FLT	PART NUMBER	PRICE EACH	FLT	PART NUMBER	PRICE EACH
#4-40	3	T41-FT04C	\$ 28.61	2	T45-FT04C	\$ 28.70	2	T46-FT04C	\$ 30.18
#6-32	3	T41-FT06C	22.39	2	T45-FT06C	23.72	2	T46-FT06C	29.45
#6-40	3	T41-FT06F	27.61	2	T45-FT06F	26.38	2	T46-FT06F	29.45
#8-32	4	T41-FT08C	26.19	2	T45-FT08C	24.05	3	T46-FT08C	24.34
#8-36	4	T41-FT08F	29.80	2	T45-FT08F	26.76	3	T46-FT08F	24.34
#10-24	4	T41-FT10C	26.14	2	T45-FT10C	25.62	3	T46-FT10C	29.45
#10-32	4	T41-FT10F	26.14	2	T45-FT10F	25.62	3	T46-FT10F	29.45
#12-24	4	T41-FT12C	30.79	2	T45-FT12C	27.80	3	T46-FT12C	31.33
#12-28	4	T41-FT12F	31.38	2	T45-FT12F	27.80	3	T46-FT12F	31.37
1/4-20	4	T41-FT16C	27.61	2	T45-FT16C	28.90	3	T46-FT16C	33.98
1/4-28	4	T41-FT16F	27.61	2	T45-FT16F	28.90	3	T46-FT16F	33.98
5/16-18	4	T41-FT20C	36.26	2	T45-FT20C	30.46	3	T46-FT20C	37.58
5/16-24	4	T41-FT20F	36.26	2	T45-FT20F	30.46	3	T46-FT20F	37.58
3/8-16	4	T41-FT24C	38.44	3	T45-FT24C	34.79	3	T46-FT24C	42.82
3/8-24	4	T41-FT24F	38.44	3	T45-FT24F	34.79	3	T46-FT24F	42.82
7/16-14	4	T41-FT28C	48.18	3	T45-FT28C	50.65	3	T46-FT28C	51.24
7/16-20	4	T41-FT28F	48.18	3	T45-FT28F	50.65	3	T46-FT28F	50.93
1/2-13	4	T41-FT32C	49.04	3	T45-FT32C	53.50	3	T46-FT32C	51.94
1/2-20	4	T41-FT32F	54.13	3	T45-FT32F	53.50	3	T46-FT32F	53.55
9/16-12	4	T41-FT36C	74.18				3	T46-FT36C	86.23
9/16-18	4	T41-FT36F	81.73				3	T46-FT36F	86.23
5/8-11	4	T41-FT40C	91.65	3	T45-FT40C	100.65	3	T46-FT40C	108.25
5/8-18	4	T41-FT40F	91.65	3	T45-FT40F	100.65	3	T46-FT40F	108.25
3/4-10	4	T41-FT48C	118.06	3	T45-FT48C	134.36	3	T46-FT48C	140.90
3/4-16	4	T41-FT48F	118.06	3	T45-FT48F	142.39	3	T46-FT48F	148.39

Warranty: All Heritage products are guaranteed to be free from defects. Our obligation to the user shall be to replace any items proven to be defective. User assumes responsibility for selecting the appropriate product for use and for complying with safety regulations set by OSHA and ANSI safety code B7.1, and assumes all other risks

HoleShot TiN FAB/Taps - Plug Style

Heritage Industrial Products Corp.
W4278 Jean Street
Appleton, WI 54913
800-236-2119 (Voice)
920-733-7461 (Fax)
heritageindustrial@sbcglobal.net
www.heritageindustrial.net



HOLESHOT TAPS - HIGH PERFORMANCE

Super Premium - Special Hi-Tungsten and Hi-Molybdenum tool steels, gold surface treated for maximum lubricity. Spiral point construction drives chips ahead of the tap, permitting higher speeds and faster cutting with less torque. Precision ground threads for the ultimate in accuracy and performance. Recommended for stainless and other hard metals. Plug style spiral pointed taps are ideal for production tapping of through holes.



SIZE	STRAIGHT FLUTE			SPIRAL POINT - GUN			REDUCED NECK - GUN		
	FLT	PART NUMBER	PRICE EACH	FLT	PART NUMBER	PRICE EACH	NO. OF FLUTES	PART NUMBER	PRICE EACH
#4-40	3	T41-04C	\$ 16.00	2	T45-04C	\$ 16.96	2	T46-04C	\$ 18.17
#6-32	3	T41-06C	12.64	2	T45-06C	13.40	2	T46-06C	16.98
#6-40	3	T41-06F	14.44	2	T45-06F	15.32	2	T46-06F	16.98
#8-32	4	T41-08C	12.88	2	T45-08C	13.64	3	T46-08C	16.98
#8-36	4	T41-08F	14.68	2	T45-08F	15.56	3	T46-08F	16.98
#10-24	4	T41-10C	13.92	2	T45-10C	14.76	3	T46-10C	16.98
#10-32	4	T41-10F	13.92	2	T45-10F	14.76	3	T46-10F	16.98
#12-24	4	T41-12C	15.36	2	T45-12C	16.32	3	T46-12C	18.87
#12-28	4	T41-12F	15.36	2	T45-12F	16.32	3	T46-12F	18.87
1/4-20	4	T41-16C	15.48	2	T45-16C	16.40	3	T46-16C	20.44
1/4-28	4	T41-16F	15.48	2	T45-16F	16.40	3	T46-16F	20.44
5/16-18	4	T41-20C	16.56	2	T45-20C	17.52	3	T46-20C	22.89
5/16-24	4	T41-20F	16.56	2	T45-20F	17.52	3	T46-20F	22.89
3/8-16	4	T41-24C	19.44	3	T45-24C	20.60	3	T46-24C	25.94
3/8-24	4	T41-24F	19.44	3	T45-24F	20.60	3	T46-24F	25.94
7/16-14	4	T41-28C	32.96	3	T45-28C	34.92	3	T46-28C	31.47
7/16-20	4	T41-28F	32.96	3	T45-28F	34.92	3	T46-28F	31.19
1/2-13	4	T41-32C	34.40	3	T45-32C	36.08	3	T46-32C	32.10
1/2-20	4	T41-32F	34.40	3	T45-32F	36.08	3	T46-32F	33.60
9/16-12	4	T41-36C	48.41						
9/16-18	4	T41-36F	48.41						
5/8-11	4	T41-40C	61.85	3	T45-40C	72.56			
5/8-18	4	T41-40F	61.85	3	T45-40F	72.56			
3/4-10	4	T41-48C	85.82	3	T45-48C	99.52			
3/4-16	4	T41-48F	85.82	3	T45-48F	105.96			

Warranty: All Heritage products are guaranteed to be free from defects. Our obligation to the user shall be to replace any items proven to be defective. User assumes responsibility for selecting the appropriate product for use and for complying with safety regulations set by OSHA and ANSI safety code B7.1, and assumes all other risks

HoleShot Taps - High Performance


Heritage Industrial Products Corp.
 W4278 Jean Street
 Appleton, WI 54913
 800-236-2119 (Voice)
 920-733-7461 (Fax)
 heritageindustrial@sbcglobal.net
 www.heritageindustrial.net



HOLESHOT FABTAPS - HIGH PERFORMANCE

FabTaps are specifically designed to be used in a three-jaw chuck. Three flats on the shank insure that the tap will not slip when used in battery powered or electric drill motors.

HoleShot FabTaps are made with special Hi-Tungsten and Hi-Molybdenum tool steel. These premium taps are precision ground for the ultimate in accuracy and performance. HoleShot FabTaps are gold surface treated for maximum lubricity which provides an easy running, clean and accurate cut.



SIZE	STRAIGHT FLUTE			SPIRAL POINT - GUN			REDUCED NECK - GUN		
	FLT	PART NUMBER	PRICE EACH	FLT	PART NUMBER	PRICE EACH	NO. OF FLUTES	PART NUMBER	PRICE EACH
#4-40	3	T41-F04C	\$ 21.00	2	T45-F04C	\$ 21.96	2	T46-F04C	\$ 23.17
#6-32	3	T41-F06C	17.64	2	T45-F06C	18.40	2	T46-F06C	21.98
#6-40	3	T41-F06F	19.44	2	T45-F06F	20.32	2	T46-F06F	21.98
#8-32	4	T41-F08C	17.88	2	T45-F08C	18.64	3	T46-F08C	21.98
#8-36	4	T41-F08F	19.68	2	T45-F08F	20.56	3	T46-F08F	21.98
#10-24	4	T41-F10C	18.92	2	T45-F10C	19.76	3	T46-F10C	21.98
#10-32	4	T41-F10F	18.92	2	T45-F10F	19.76	3	T46-F10F	21.98
#12-24	4	T41-F12C	20.36	2	T45-F12C	21.32	3	T46-F12C	23.87
#12-28	4	T41-F12F	20.36	2	T45-F12F	21.32	3	T46-F12F	23.87
1/4-20	4	T41-F16C	21.48	2	T45-F16C	22.40	3	T46-F16C	26.44
1/4-28	4	T41-F16F	21.48	2	T45-F16F	22.40	3	T46-F16F	26.44
5/16-18	4	T41-F20C	22.56	2	T45-F20C	23.52	3	T46-F20C	28.89
5/16-24	4	T41-F20F	22.56	2	T45-F20F	23.52	3	T46-F20F	28.89
3/8-16	4	T41-F24C	25.44	3	T45-F24C	26.60	3	T46-F24C	31.94
3/8-24	4	T41-F24F	25.44	3	T45-F24F	26.60	3	T46-F24F	31.94
7/16-14	4	T41-F28C	35.78	3	T45-F28C	42.10	3	T46-F28C	37.47
7/16-20	4	T41-F28F	35.78	3	T45-F28F	42.10	3	T46-F28F	37.19
1/2-13	4	T41-F32C	37.35	3	T45-F32C	43.50	3	T46-F32C	40.10
1/2-20	4	T41-F32F	37.35	3	T45-F32F	43.50	3	T46-F32F	41.60
9/16-12	4	T41-F36C	59.99						
9/16-18	4	T41-F36F	59.99						
5/8-11	4	T41-F40C	76.68	3	T45-F40C	87.45			
5/8-18	4	T41-F40F	76.68	3	T45-F40F	87.45			
3/4-10	4	T41-F48C	106.38	3	T45-F48C	119.95			
3/4-16	4	T41-F48F	106.38	3	T45-F48F	127.75			

Warranty: All Heritage products are guaranteed to be free from defects. Our obligation to the user shall be to replace any items proven to be defective. User assumes responsibility for selecting the appropriate product for use and for complying with safety regulations set by OSHA and ANSI safety code B7.1, and assumes all other risks

HoleShot FAB/Taps - High Performance

Heritage Industrial Products Corp.
 W4278 Jean Street
 Appleton, WI 54913
 800-236-2119 (Voice)
 920-733-7461 (Fax)
 heritageindustrial@sbcglobal.net
 www.heritageindustrial.net



HOLESHOT TAPS

TAPER - PLUG - BOTTOMING



HoleShot taps are made with special Hi-Tungsten and Hi-Molybdenum tool steel. These premium taps are precision ground for the ultimate in accuracy and performance. HoleShot taps are gold surface treated for maximum lubricity which provides an easy running, clean and accurate cut.

THREAD SIZE	NO. OF FLUTES	PART NUMBERS			PRICE EACH
		TAPER	PLUG	BOTTOMING	
#2-56	3	T40-02C	T41-02C	T42-02C	\$ 20.32
#3-48	3	T40-03C	T41-03C	T42-03C	17.43
#4-40	3	T40-04C	T41-04C	T42-04C	16.00
#5-40	3	T40-05C	T41-05C	T42-05C	16.00
#6-32	3	T40-06C	T41-06C	T42-06C	12.64
#6-40	3	T40-06F	T41-06F	T42-06F	14.44
#8-32	4	T40-08C	T41-08C	T42-08C	12.88
#8-36	4	T40-08F	T41-08F	T42-08F	14.68
#10-24	4	T40-10C	T41-10C	T42-10C	13.92
#10-32	4	T40-10F	T41-10F	T42-10F	13.92
#12-24	4	T40-12C	T41-12C	T42-12C	15.36
#12-28	4	T40-12F	T41-12F	T42-12F	15.36
1/4-20	4	T40-16C	T41-16C	T42-16C	15.48
1/4-28	4	T40-16F	T41-16F	T42-16F	15.48
5/16-18	4	T40-20C	T41-20C	T42-20C	16.56
5/16-24	4	T40-20F	T41-20F	T42-20F	16.56
3/8-16	4	T40-24C	T41-24C	T42-24C	19.44
3/8-24	4	T40-24F	T41-24F	T42-24F	19.44
7/16-14	4	T40-28C	T41-28C	T42-28C	32.96
7/16-20	4	T40-28F	T41-28F	T42-28F	32.96
1/2-13	4	T40-32C	T41-32C	T42-32C	34.40
1/2-20	4	T40-32F	T41-32F	T42-32F	34.40
9/16-12	4	T40-36C	T41-36C	T42-36C	48.41
9/16-18	4	T40-36F	T41-36F	T42-36F	48.41
5/8-11	4	T40-40C	T41-40C	T42-40C	61.85
5/8-18	4	T40-40F	T41-40F	T42-40F	61.85
3/4-10	4	T40-48C	T41-48C	T42-48C	85.82
3/4-16	4	T40-48F	T41-48F	T42-48F	85.82
7/8-9	4	T40-56C	T41-56C	T42-56C	112.57
7/8-14	4	T40-56F	T41-56F	T42-56F	112.57
1"-8	4	T40-64C	T41-64C	T42-64C	129.39
1"-12	4	T40-64F	T41-64F	T42-64F	129.39
1"-14	4	T40-64FF	T41-64FF	T42-64FF	129.39

Warranty: All Heritage products are guaranteed to be free from defects. Our obligation to the user shall be to replace any items proven to be defective. User assumes responsibility for selecting the appropriate product for use and for complying with safety regulations set by OSHA and ANSI safety code B7.1, and assumes all other risks

HoleShot Taps - Taper, Plug, Bottoming

Heritage Industrial Products Corp.
 W4278 Jean Street
 Appleton, WI 54913
 800-236-2119 (Voice)
 920-733-7461 (Fax)
 heritageindustrial@sbcglobal.net
 www.heritageindustrial.net



HOLESHOT FAB/TAPS

TAPER - PLUG - BOTTOMING

FabTaps are specifically designed to be used in a three-jaw chuck. Three flats on the shank insure that the tap will not slip when used in battery powered or electric drill motors.

HoleShot FabTaps are made with special Hi-Tungsten and Hi-Molybdenum tool steel. These premium taps are precision ground for the ultimate in accuracy and performance. HoleShot FabTaps are gold surface treated for maximum lubricity which provides an easy running, clean and accurate cut.

THREAD SIZE	NO. OF FLUTES	PART NUMBERS			PRICE EACH
		TAPER	PLUG	BOTTOMING	
#2-56	3	T40-F02C	T41-F02C	T42-F02C	\$ 28.39
#3-48	3	T40-F03C	T41-F03C	T42-F03C	23.90
#4-40	3	T40-F04C	T41-F04C	T42-F04C	21.00
#5-40	3	T40-F05C	T41-F05C	T42-F05C	21.00
#6-32	3	T40-F06C	T41-F06C	T42-F06C	17.64
#6-40	3	T40-F06F	T41-F06F	T42-F06F	19.44
#8-32	4	T40-F08C	T41-F08C	T42-F08C	17.88
#8-36	4	T40-F08F	T41-F08F	T42-F08F	19.68
#10-24	4	T40-F10C	T41-F10C	T42-F10C	18.92
#10-32	4	T40-F10F	T41-F10F	T42-F10F	18.92
#12-24	4	T40-F12C	T41-F12C	T42-F12C	20.36
#12-28	4	T40-F12F	T41-F12F	T42-F12F	20.36
1/4-20	4	T40-F16C	T41-F16C	T42-F16C	21.48
1/4-28	4	T40-F16F	T41-F16F	T42-F16F	21.48
5/16-18	4	T40-F20C	T41-F20C	T42-F20C	22.56
5/16-24	4	T40-F20F	T41-F20F	T42-F20F	22.56
3/8-16	4	T40-F24C	T41-F24C	T42-F24C	25.44
3/8-24	4	T40-F24F	T41-F24F	T42-F24F	25.44
7/16-14	4	T40-F28C	T41-F28C	T42-F28C	35.78
7/16-20	4	T40-F28F	T41-F28F	T42-F28F	35.78
1/2-13	4	T40-F32C	T41-F32C	T42-F32C	37.35
1/2-20	4	T40-F32F	T41-F32F	T42-F32F	37.35
9/16-12	4	T40-F36C	T41-F36C	T42-F36C	59.99
9/16-18	4	T40-F36F	T41-F36F	T42-F36F	59.99
5/8-11	4	T40-F40C	T41-F40C	T42-F40C	76.68
5/8-18	4	T40-F40F	T41-F40F	T42-F40F	76.68
3/4-10	4	T40-F48C	T41-F48C	T42-F48C	106.38
3/4-16	4	T40-F48F	T41-F48F	T42-F48F	106.38
7/8-9	4	T40-F56C	T41-F56C	T42-F56C	132.75
7/8-14	4	T40-F56F	T41-F56F	T42-F56F	132.75
1"-8	4	T40-F64C	T41-F64C	T42-F64C	164.68
1"-12	4	T40-F64F	T41-F64F	T42-F64F	164.68
1"-14	4	T40-F64FF	T41-F64FF	T42-F64FF	164.68

Warranty: All Heritage products are guaranteed to be free from defects. Our obligation to the user shall be to replace any items proven to be defective. User assumes responsibility for selecting the appropriate product for use and for complying with safety regulations set by OSHA and ANSI safety code B7.1, and assumes all other risks

HoleShot FAB/Taps - Plug, Taper, Bottoming